

REFERENCE LIST

Service delivery and work performance period: 2024-2026

ASI LLP, BIN: 050240011259

№	Work performance / service delivery period	Customer and contractual basis	Scope of work (works / services)
1	August 2024	ZTE Kazakhstan LLP Contract No. S1KZ2024062801WBF1 dated 28 June 2024	Adaptation and development of design documentation for 20 m and 25 m antenna-mast structures for use in the Republic of Kazakhstan. Comprehensive structural analysis of the load-bearing elements of antenna-mast structures (AMS) for load-bearing capacity.
2	September 2024	Intercom Engineering LLP Contract No. 34-10/24-Y dated 4 October 2024	Comprehensive structural analysis of the load-bearing elements of antenna-mast structures (AMS) at Huawei Technologies Kazakhstan LLP facilities.
3	February-December 2025	DiaMet PV LLP Contract No. 01/25/CPI dated 3 February 2026	Selection of regulatory and technical documentation and processing of inspection and technical diagnostics records as part of the industrial safety expert review of process equipment and hazardous technical devices used at hazardous production facilities.
4	February 2025	Municipal State Enterprise on the Right of Economic Management "Terenkol District Hospital" Contract No. 38 (010240002591/250038/00) dated 3 February 2025	Technical inspection of structural components as part of the major refurbishment of the following buildings: 1. Administrative and treatment building of the hospital; 2. Administrative and amenity building of the dispensary, including the connecting gallery.
5	April 2025	Gorkomkhoz-Pavlodar LLP Contract No. 01/25/OC dated 3 April 2025	Technical inspection and condition assessment of the building intended for the accommodation and maintenance of specialised machinery, inventory No. 2054.
6	May 2025	SEVKAZENERGOPROM Research and Production Company LLP Contract No. 02/25/OJ dated 14 April 2025	Pre-design inspection of the structural components of the turbine hall, gallery column foundations and station service switchgear rooms under the "Expansion of the Balkhash CHP Plant of Kazakhmys Energy LLP" project.
7	May 2025	REVAL-M LLP Contract No. 14/PD-EEC-25-0038 dated 24 April 2025	Engineering inspection and condition assessment of the structural components of the room housing thyristor excitation transformer No. 2 (2TTB) at the power plant of Eurasian Energy Corporation JSC, under the "Replacement of the Thyristor Excitation Transformer of Unit No. 2 (2TTB) at the EEC JSC Power Plant" project.
8	May 2025	PromErgo-NefteKhimProekt LLP Contract No. 14/25 dated 29 April 2025	Expert inspection and condition assessment of the structural components of buildings under the "Construction of an Amenity Building for Employees of the Mobile Equipment Maintenance and Repair Department" project at KAZ Minerals Bozshakol LLP: 1. Mine maintenance administration office within grids A-A2 and rows 1-1A; 2. Mine mill warehouse and mine maintenance workshop within grids A'-E and rows 1-2.
9	June 2025	Norton EPC LLP Contract No. 25/03 dated 8 May 2025	Pre-design inspection and condition assessment of the air duct located within grids 10-28 along row B at elevation +7.000 in the main building of the boiler-and-turbine shop at the Ekibastuz CHP Plant of Energy Solutions Center LLP, Ekibastuz.
10	June 2025	Mon.Arch Architecture and Design Studio LLP Contract No. 03/25/OJ dated 19 May 2025	Expert inspection and condition assessment of buildings and structures in Almaty: 1. Barracks building, including the passage from the headquarters block to the medical block; 2. Administrative and amenity building.
11	June 2025	SEVKAZENERGOPROM Research and Production Company LLP Contract No. 04/25/OJ dated 2 June 2025	Technical inspection of the structural components of the reinforced-concrete trestle and bank protection works of the rowing canal in the Usolsky neighbourhood of Pavlodar.
12	June-July 2025	Sokolov-Sarybai Mining and Processing Production Association JSC Contract No. PC/SSG/25-9627 dated 3 June 2025	Engineering-geological and engineering-geodetic surveys, technical inspection and condition assessment of the foundation of turbine generator No. 3 located in the main power plant building of the SSGPO JSC branch in Rudny, Kostanay Region.

№	Work performance / service delivery period	Customer and contractual basis	Scope of work (works / services)
13	July-November 2025	Aluminium of Kazakhstan JSC Contract No. PD/AOK/25-63301 dated 9 June 2025	Technical inspection of the reliability and stability of buildings and structures, including recommendations for eliminating identified defects and damage and ensuring safe serviceability: PAZ TsS stack No. 3.
14	July-December 2025	KAZRUDPROM Production Company LLP Contract No. 065/25/OJ dated 20 June 2025	Development of design documentation for modernisation of the “Beneficiation of 0-10 mm High-Carbon Ferrochrome Smelting Slag” section at the Slag Processing Shop of the Aksu Ferroalloys Plant, a branch of TNC Kazchrome JSC, including engineering-geological surveys, topographic surveying and preparation of the Environmental Protection section.
15	August 2025	SEVKAZENERGOPROM Research and Production Company LLP Contract No. 06/25/OJ dated 22 July 2025	Expert technical inspection and condition assessment of the structural components of the scrubber building serving boiler units Nos. 9, 10 and 11 at CHP-2 of SEVKAZENERGO JSC, Petropavl.
16	October 2025	PAVLODAR-ENERGOEKSPERTIZA LLP Contract No. 03 dated 28 July 2025	Expert technical inspection and condition assessment of the foundations of the 500 kV KEZ-1 and KEZ-2 overhead transmission lines from EEC JSC to Kazakhstan Electrolysis Plant JSC.
17	October 2025	Sole Proprietor A.S. Nurumov Contract No. 08/25/OJ dated 2 September 2025	Expert inspection of the structural components of the Baiterek Shopping Centre building in Pavlodar.
18	September-December 2025	SEVKAZENERGOPROM Research and Production Company LLP Contract No. 09/25/OJ dated 8 September 2025	Expert technical inspection of the structural condition and development of design documentation for the turbine, induced-draught fan and boiler sections of the main building of Petropavl CHP-2, Petropavl.
19	December 2025	Pavlodarhydrogeology LLP Contract No. 10/25/OJ dated 8 September 2025	Scope of services: 1. Preparation and submission of an application for the proposed activity; 2. Preparation of the Environmental Protection section; 3. Obtaining a favourable state environmental expert review conclusion for the project; 4. Preparation of an environmental impact declaration; 5. Submission of the environmental impact declaration for Pavlodarhydrogeology LLP.
20	September 2025	REVAL-M LLP Subcontract No. 24/PD/AOK/25-0288 dated 11 September 2025	Inspection and condition assessment of the structural components of the TГ4 АГП room for the detailed design “CHP Plant of Aluminium of Kazakhstan JSC, Pavlodar. Reconstruction of the Excitation System of Turbine Generator ТВФ-60-2 No. 4, Replacing the Rotating Exciter with a Thyristor Self-Excitation System”.
21	September 2025	TechnoPlasma LLP Contract No. 15/10/25 dated 15 October 2025	Technical inspection and expert review of four KBp-0.88 hot-water heating boilers installed in the machinery and tractor workshop of Kirova LLP in Rozovka village, Pavlodar District, Pavlodar Region, following repair works.
22	November 2025	Ekoton+ JSC Contract No. 10/25/OJ dated 30 October 2025	Expert inspection and condition assessment of the autoclaved aerated concrete plant building in Astana.
23	December 2025	SEVKAZENERGOPROM Research and Production Company LLP Contract No. 11/25/OJ dated 18 November 2025	Expert inspection of the structural components of the DSK water pumping station building in Kokshetau.

№	Work performance / service delivery period	Customer and contractual basis	Scope of work (works / services)
24	August-September 2025	Montazhnik EM LLP Contract No. 176/25 dated 31 December 2025	Expert inspection of the structural components of existing buildings and structures at the Zhezkazgan CHP Plant under the project “Replacement of Boiler Unit No. 10, Type БК3-220-9.8-540, with Boiler Unit Type E-250-9.8-545 KT at the Zhezkazgan CHP Plant of Kazakhmys Energy LLP”, comprising: 1. Foundation elements of the mills and mill fans of boiler unit No. 10; 2. Foundation and supporting-column elements of the floor at elevation +8.000 in the boiler-unit No. 10 bay; 3. Load-bearing steel roof structures of the boiler hall along rows G and D within grids 32-37, including vertical and horizontal bracing within the truss envelope; 4. Floors at elevation +8.000 within grids 32-37 and rows V-G-D, including load-bearing steel structures such as beams, columns and bracing; 5. Room allocated by the Customer for the process control system control panel and control cabinets; 6. Cable ducts and cable mezzanine; 7. 6 kV station service switchgear room; 8. Existing rooms at elevation +8.000 along row G, including columns, bracing and associated elements; 9. Existing foundation of boiler unit No. 10 from elevation -4.000 to 0.000; 10. Existing hydraulic ash-removal channels from boiler unit No. 10 to the slurry pumping station.
25	October-December 2025	Montazhnik EM LLP Contract No. 328/25 dated 31 December 2025	Scope of services: 1. Industrial safety expert review and technical diagnostics of the pulverised-fuel system equipment of boiler unit E-250-9.8-545KT No. 10 at the Zhezkazgan CHP Plant to determine its technical condition and suitability for continued safe operation: - Cyclones A and B; - Separators A and B; - Raw-coal bunkers A and B; - Pulverised-coal bunker; - Pulverised-fuel conveying line from cyclone A to separator A; - Pulverised-fuel conveying line from cyclone B to separator B; - Pulverised-fuel conveying line from separator A to ball-tube mill A; - Pulverised-fuel conveying line from separator B to ball-tube mill B; - Air duct from cyclone A to mill fan A; - Air duct from cyclone B to mill fan B; - Coal return chute from separator A; - Coal return chute from separator B; - Dust chute from cyclone A to the screw conveyor and pulverised-coal bunker; - Dust chute from cyclone B to the screw conveyor and pulverised-coal bunker; - Cone-valve flap gates from cyclones A and B at the conveyor and bunker elevations; - Cone-valve flap gates from cyclone B at the conveyor elevation; - Fastenings and supports of maintenance platforms; 2. Expert inspection and condition assessment of the structural components of supports, maintenance platforms and foundations for the pulverised-fuel system equipment of boiler unit E-250-9.8-545KT No. 10 at the Zhezkazgan CHP Plant.
26	March 2026	DiaMet PV LLP Contract No. 02/26/ОД dated 12 January 2026	Levelling survey of runway beams and crane rails for 17 lifting machines at the КИР branch of Aluminium of Kazakhstan JSC for 2026. Keregetas Mine.
27	February 2026	SEVKAZENERGOPROM Research and Production Company LLP Contract No. 03/26/ОД dated 29 January 2026	Technical inspection of district-heating chambers in the Khimgorodki and Dachny neighbourhoods of Pavlodar.

№	Work performance / service delivery period	Customer and contractual basis	Scope of work (works / services)
28	March-April 2026	SEVKAZENERGOPROM Research and Production Company LLP Contract No. 11-26 dated 3 March 2026	Scope of work: 1. Inspection of the structural components of the 0.4 kV station service switchgear room under the project “Replacement of Boiler Unit No. 10, Type БК3-220-9.8-540, with Boiler Unit Type E-250-9.8-545 KT at the Zhezkazgan CHP Plant”, at elevation +8.000 within grids 38, 39 and 40 and rows B’-V’, followed by development of design documentation for structural repair and reinstatement works in the switchgear room; 2. Development of the detailed design for structural repair and reinstatement works in the existing 0.4 kV station service switchgear room in accordance with Expert Conclusion No. 20/25 dated 12 September 2025, under the same boiler replacement project.
29	March 2026	SEVKAZENERGOPROM Research and Production Company LLP Contract No. 08-26 dated 3 March 2026	Development of the detailed design for repair and reinstatement of the structural components of the existing boiler hall building in accordance with Expert Conclusion No. 20/25 dated 12 September 2025, under the project “Replacement of Boiler Unit No. 10, Type БК3-220-9.8-540, with Boiler Unit Type E-250-9.8-545 KT at the Zhezkazgan CHP Plant”.
30	April-June 2026	Aluminium of Kazakhstan JSC Contract No. PCC/AOK/26-64602 dated 1 April 2026	Expert inspection and condition assessment of existing building and structure components under the project “Construction of a Product Filtration and Vertical Calcination Furnace Section at PAZ”, Aluminium of Kazakhstan JSC, Pavlodar, comprising: 1. Fuel-oil facilities receiving trestle section, grids 1-18; 2. Fuel-oil pumping station building; 3. Evaporation building of the ГАН process circuit; 4. Alumina pneumatic conveying trestle; 5. High-purity gallium production building; 6. ГТС trestle section near fixed support No. 34; 7. Section of hydrate wet-processing block No. 1; 8. Section of hydrate wet-processing block No. 2; 9. ГМИ-3 process trestle between БОГ-1 and БОГ-2; 10. Warm-water trestle from decomposer cooling; 11. ГМИ-4 Evaporation Department building, rows L-T, grids 13-16.